## Snap-sn Tools

# SPRITT G PROMOTION — 2025





25Q1-KRA2007KUZHY 26" SEVEN-DRAWER VINTAGE DESIGN ROLL CAB (TRANSLUCENT RED)



Snapan





- 1,190 ft-lb (1,613 N?·m) of bolt breakaway torque and 810 ft-lb (1,098 N?·m) of working torque
- For the toughest jobs, choose the maximum power of the MG725A

Snap-on



25Q2-PT338G 25Q2-PT338HV

3/8" DRIVE STUBBY AIR IMPACT WRENCH





- 425 ft-lb (576 N?·m) of bolt breakaway torque and 325 ft-lb (440 N?·m) of torque output
- Compact size and slim-style nose are great for working in tight spaces
- 10,700 RPM for faster bolt removal

## 25Q2-106IPTMMA

700 ft-lb (950 N·m) of bolt

(678 N·m) of torque output

tight spaces

6 PC 1/4" DRIVE 6-POINT METRIC FLANK **DRIVE® SHALLOW IMPACT SWIVEL** SOCKET SET (8, 10,12-15MM)





#### 25Q2-303IMXL

3 PC 1/2" DRIVE LOCKING IMPACT **EXTENSION SET** 



#### 25Q2-110MGMM

10 PC 1/4" DRIVE 6-POINT METRIC FLANK **DRIVE® SHALLOW MAGNETIC POWER** SOCKET SET (5-15 MM)





#### 25Q2-307RIPLMY

7 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® LOW-PROFILE SWIVEL IMPACT SOCKET SET (14-24 MM)





#### 25Q2-214IMFMYA

14 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SOCKET SET (8-19, 21 AND 24 MM)





#### 25Q2-310SIMMYA

10 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP IMPACT SOCKET SET (10-19







## **SOFT GRIP**

- Sealed head keeps lubricants in and contaminants out for longer life
- Soft grip handle provides comfort and control, and resists most shop chemicals
- Rugged reverse lever increases tool longevity



#### LENGTH (INCHES)

1/4"	25Q2-THL72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (RED)	LONG	6-7/8
	25Q2-THL720	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (ORANGE)	LONG	6-7/8
	25Q2-THL72G	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (GREEN)	LONG	6-7/8
	25Q2-THLL72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (RED)	EXTRA LONG	9-3/4
	25Q2-THLL720	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (ORANGE)	EXTRA LONG	9-3/4
	25Q2-THLL72G	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (GREEN)	EXTRA LONG	9-3/4
3/8"	25 <b>Q</b> 2-FH80	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP STANDARD HANDLE RATCHET (RED)	REGULAR	9-1/2
	25Q2-FH800	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP STANDARD HANDLE RATCHET (ORANGE)	REGULAR	9-1/2
	25Q2-FHL80	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (RED)	LONG	12-1/2
	25Q2-FHL800	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (ORANGE)	LONG	12-1/2
1/2"	25Q2-SH80A	1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP HANDLE RATCHET (RED)	REGULAR	12
	25Q2-SHL80A	1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (RED)	LONG	16-3/4



## SOFT GRIP FLEX

- Flex-head design allows exceptional versatility, with multiple positions for convenient access to work
- Soft grip handle provides comfort and control, and resists most shop chemicals
- Rugged reverse lever increases tool longevity



#### LENGTH (INCHES)

1/4"	25Q2-THLF72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET (RED)	LONG	6-7/8
	25Q2-THLLF72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE FLEX-HEAD RATCHET (RED)	EXTRA LONG	9-3/4
3/8"	25Q2-FHF80A •	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP STANDARD HANDLE FLEX-HEAD RATCHET (RED)	REGULAR	10-3/8
	25Q2-FHLF80A	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET (RED)	LONG	13-11/16
1/2"	25Q2-SHF80A	1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP HANDLE FLEX-HEAD RATCHET (RED)	REGULAR	17-5/8



## FLEX-HEAD

- Flex-head design allows exceptional versatility, with multiple positions for convenient access to work
- Contoured handle for comfort and control
- Chrome finish for easy cleanup



3/8"	25Q2-FF80A	3/8" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE FLEX-HEAD RATCHET	REGULAR	8-3/8
	25Q2-FLF80A	3/8" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE FLEX-HEAD RATCHET	LONG	11-1/2
	25Q2-SF80A	1/2" DRIVE DUAL 80® TECHNOLOGY STANDARD	REGULAR	17-11/18
1/2"	25Q2-SLF80A	HANDLE FLEX-HEAD RATCHET  1/2" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE FLEX-HEAD RATCHET	LONG	24-13/16



## **QUICK-RELEASE**

- Quick-release button for rapid socket and accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy cleanup



1/4"	25Q2-TR72	1/4" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET	STANDARD	4-7/16
	25Q2-TRL72	1/4" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE QUICK-RELEASE RATCHE	LONG	6-1/2
3/8"	25Q2-FR80	3/8" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET	REGULAR	7-7/16
	25Q2-FRL80	3/8" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE QUICK-RELEASE RATCHET	LONG	10-3/8
1/2"	25 <b>Q</b> 2-SR80A	1/2" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET	REGULAR	10-5/16
	25Q2-SRL80A	1/2" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE QUICK-RELEASE RATCHET	LONG	15



## STUBBY & STUBBY FLEX

- Sealed head keeps lubricants in and contaminants out for longer life
- Stubby handle provides access in tight applications
- Contoured handle for comfort and control
- Chrome finish for easy cleanup
- Rugged reverse lever increases tool longevity



#### LENGTH (INCHES)

3/8"	25 <b>Q</b> 2-TK72	1/4" DRIVE DUAL 80® TECHNOLOGY STUBBY FIXED- HEAD RATCHET	STUBBY	2-1/4
	25Q2-TKF72	1/4" DRIVE DUAL 80® TECHNOLOGY STUBBY FLEX- HEAD RATCHET	STUBBY FLEX	3-1/4
1/2"	25Q2-FK80	3/8" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE RATCHET	STUBBY	4-3/16
	25Q2-FKF80A	3/8" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE FLEX-HEAD RATCHET	STUBBY FLEX	4-3/4

#### 25Q2-112YSTMMY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA DEEP SOCKET SET (5-15 MM)

Includes magnetic storage tray





#### 25Q2-212YSFSMY

12 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA DEEP SOCKET SET (8-19 MM)

Includes magnetic storage tray





#### 25Q2-112TMMSY

12 PC 1/4" DRIVE 6-POINT FLANK DRIVE® SEMI-DEEP METRIC SOCKET SET (5–15 MM)

Includes magnetic storage tray





#### 25Q2-212YFSMY

12 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SHALLOW SOCKET SET (8-19 MM)

Includes magnetic storage tray





#### 25Q2-112YTMMSY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SEMI-DEEP SOCKET SET (5–15 MM)

Includes magnetic storage tray





#### 25Q2-212YFSMSY

12 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SEMI-DEEP SOCKET SET (8-19 MM)

· Includes magnetic storage tray





#### 25**Q**2-112YTMMY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SHALLOW SOCKET SET (5–15 MM)

Includes magnetic storage tray





#### 25Q2-S3625

3/8" DRIVE METRIC 36 MM LOW-PROFILE FILTER SOCKET

- 3/8" drive, 36 mm
- Low profile filter socket allows for easy access around obstructions



#### 25Q2-1206GS

6 PC COMBINATION SQUARE DRIVE ADAPTOR SET

 Includes 1/4" drive GFAT1E and TA3, 3/8" drive A2A and GSAF1F, and 1/2" drive GLA12B and GLAS1E in a storage tray



#### 25Q2-OFSKIT

4 PC OIL/ FUEL FILTER SOCKET SET

- Removes and installs 24, 27, 35, 36 mm and 1-1/4" oil filters
- Includes (1) A127 and (1) A106 Oil Filter Sockets, (1) S3624 Filter Flip Socket and (1) A129 Cummins® Diesel Fuel Filter Socket in a storage tray



#### 25Q2-106BTMX

6 PC 1/4" DRIVE KNURLED EXTENSION SET (1-1/4"-11")



#### 25Q2-206AFXW 6 PC 3/8" DRIVE WOBBLE **EXTENSION SET (1-1/2-11")**



#### 25Q2-305ASX

5 PC 1/2" DRIVE EXTENSION SET (2-1/8, 3-1/2, 5, 8" - 11")



#### **25Q2-BOERM6**

6 MM 12-POINT METRIC 15° OFFSET RATCHETING COMBINATION WRENCH (BLUE-POINT®)



#### 25Q2-TZ2

2 PC 1/4" DRIVE EXTENSION CONNECTOR SET

> Female and male 90° connectors add versatility to extensions, breaker bars ratchets and crowfoots whe accessing hard-to-reach fasteners



#### **25Q2-BPOERMSP712**

SPANNER SET SPHERICAL DRIVE 12PC (8-19MM) (BLUE-POINT®)



Includes Sizes: 8mm - 19mm







## Unique Spline Drive fits 6 different fastener types















#### 25Q2-SOXRM704A

4 PC 12-POINT METRIC FLANK DRIVE® PLUS NON-REVERSIBLE RATCHETING COMBINATION WRENCH SET (6-9 MM)



#### 25Q2-SOXRM703A

3 PC METRIC FLANK DRIVE® PLUS NON-REVERSIBLE RATCHETING COMBINATION WRENCH SET (21, 22, 24 MM)



#### 25Q2-SOXRM01FBRA

11 PC 12-POINT METRIC FLANK DRIVE® PLUS 0° OFFSET NON-REVERSING RATCHETING COMBINATION WRENCH SET WITH PRO-FITM ORGANIZATION (6–16 MM)



#### 25Q2-SOXRRM704A

4 PC METRIC FLANK DRIVE® PLUS REVERSIBLE RATCHETING COMBINATION WRENCH SET (6–9 MM)



#### 25Q2-SVSM805

5 PC METRIC  $30^\circ$ /  $60^\circ$  FLANK DRIVE® PLUS FOUR-WAY ANGLE OPEN-END WRENCH SET (18, 19, 21, 22 AND 24 MM)



#### 25Q2-SOXRM02FBRA



#### 25Q2-DSM810K

10 PC METRIC  $15^{\circ}/60^{\circ}$  OFFSET OPEN-END IGNITION WRENCH SET (3.2-11 MM)





#### 25Q2-RBZM605

5 PC 12-POINT METRIC LATCH-ON® 0° OFFSET RATCHETING BOX WRENCH SET (7–17 MM) (BLUE-POINT®)





#### 25Q2-XDLRM705K2A

5 PC 12-POINT METRIC FLANK DRIVE® HIGH-PERFORMANCE RATCHETING BOX WRENCH SET (10, 13, 15, 17 AND 19 MM)



#### 25Q2-TQSG3FN350

1/2" DRIVE TQ SERIES FLEX-HEAD NEWTON METERS TORQUE WRENCH (70–350 N·M)



#### 25Q2-TQSG4RN800

 $3/4^{\prime\prime}$  drive TQ series ratcheting newton meters torque wrench (270-800 N·M)











25Q2-LN46ACF 25Q2-LN46ACFG

25Q2-LN46ACFDT 25Q2-LN46ACFMB

7" TALON GRIP™ LONG-NOSE SLIP-JOINT PLIERS

25Q2-HJ46ACF 25Q2-HJ46ACFG

25Q2-HJ46ACFDT 25Q2-HJ46ACFMB

6" TALON GRIP $^{TM}$  FLANKJAW $^{TM}$ SLIP-JOINT PLIERS



**25Q2-PLWIREKIT** (Includes 786CF, 29ACF and PWCS7ACF) **25Q2-PLWIREKITO** (Includes 786CFO, 29ACFO and PWCS7ACFO)

3 PC WIRE SERVICE PLIERS SET

**25Q2-PLWIREKITG** (Includes 786CFG, 29ACFG and PWCS7ACFG)





25Q2-49ACF

25Q2-49ACFO 25Q2-49ACFG

9" TALON GRIPTM COMBINATION SLIP-JOINT PLIERS



25Q2-47ACF 25Q2-47ACFO 25Q2-47ACFG

8" TALON GRIP™ COMBINATION SLIP-JOINT PLIERS






25Q2-44ACF

4" TALON GRIPTM COMBINATION SLIP-JOINT PLIERS





8" HIGH-LEVERAGE COMBINATION PLIERS

Reduces effort for cutting and gripping by up to 75% 1-1/16" jaw opening











- Gripping capacity of 1-1/2" with max jaw opening of 2-1/4"
- Perfect for alignment, tie rods, and other areas where accessibility is an issue



- Gripping capacity of 2-3/4" with max jaw opening of 3-1/4"
- Perfect for alignment, tie rods, and other areas where accessibility is an issue

#### 25Q2-SLTRK08R

8" SLOT PANEL PLIERS RACK (RED)

- Angled slots ensure sure grip for up to six pliers at once
- Slots width can accommodate large pliers with large grips
- Designed to work with the Slots-N-Dots™ mounting system
- Plastic coating provides pliers retention and corrosion resistance
- Stamped steel rack gives added strength and durability











Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits







## 25Q2-TMR4 1/4" DRIVE RATCHETING DRIVER (BLACK)







#### 25Q2-TM615

1/4" DRIVE STANDARD HANDLE EXTRA-LONG STEXIBLE DRIVER (BLACK)

- Designed for carburetor work; this driver can also access recessed distributors
- 1/4" drive at the end of a tough but flexible spring steel shank
- Ideal to access hard-to-reach adjusting screws
- Intended for low-torque applications





# 25Q2-SGDX40BR • 25Q2-SGDX40BG • 25Q2-SGDX40BO

Olar Communication

4 PC INSTINCT® SOFT GRIP MINI-TIP COMBINATION SCREWDRIVER SET



25Q2-SGLASA604BDT ●
4 PC INSTINCT® HEAVY-DUTY PICK SET



25Q2-SPDC18R • 25Q2-SPDC18G • 25Q2-SPDC18O •

18" DEMOLITION CHISEL





25Q2-SGASA104BR 4 PC HOOK AND AWL SET





#### 25Q2-ECPNH012UVU ULTRAVIOLET RECHARGABLE PENLIGHT





- Ultraviolet penlight is rechargeable
- UV wavelength is 395-405 nanometers
- Convenient size for leak detection in tight spaces
- Wacker R250 silicone rubber mouthpiece is FDA compliant
- Detachable clip

#### 25Q2-ECPRD068EUB

FASTCHARGE 400 LUMEN PROJECT LIGHT (BLACK)

- Ultra-fast charging, with 80% capacity in 20 minutes; fully charged in less than 30 minutes
- 360° swivel bracket with strong magnets
- Strong, durable quality light that features a protective bumper
- IP65 rated for water and dust resistance
- 3-hour run time at 450 lm; 8 hours at 160 lm
- EU plug





#### 25Q2-CTDFL861

14.4 V MICROLITHIUM 1,000 LUMEN DUAL-FUNCTION LIGHT (TOOL ONLY) (RED)

- Operates as a flashlight or an adjustable stick light
- Four light modes: flashlight, single side, opposite sides or dual-side LED
- 4-, 6- and 8-hour run time for working longer (4 hours dualside, 6 hours single side, 8 hours flashlight)
- Integrated hook allows for hanging the light for handsfree operation
- Resists most automotive fluids
- Impact modified glass filled nylon housing
- Batteries and charger not included





#### 25Q2-ECPNJ032U

350 LUMEN ALUMINUM SLIM POCKET LIGHT (RED)



- Two-level Slide Power Switch: Slide once for low lumens and slide again for high lumens
- Red laser pointer with separate power switch
- Water-resistant USB-C charging
- Pocket clip for added versatility



#### 25Q2-BK3000-55A

**BORESCOPE WITH 5.5 MM IMAGER** 





- Includes mirror and magnet accessory
- Small, rugged housing designed for comfort and functionality, with a vibrant 2.5" LCD screen
- Integrated 5.5 mm high-resolution imager is easy to use and ensures that the product is always ready to go
- Onboard storage for up to 30 images
- Simple and user-friendly five-button interface
- Adaptable functionality through threestep zoom, adjustable brightness and 180° image rotation
- Imager is resistant to dust, dirt and water ingress for 30 minutes at depths of up to 3 meters
- Powered by AA batteries



## 25Q2-ECPRF052RU **0** 25Q2-ECPRF052GU **0**

500 LUMEN WIDE ANGLE

POCKET LIGHT

- 500 lm
- Full-screen design provides wider lighting
- Compact pocket size
- Adjustable rear clip
- Strong built-in magnet on base of clip for hands-free use
- Run Time: 2-1/2 hours on high
- IP65 rated for water and dust resistance

#### 25Q2-BK7000

HIGH-DEFINITION BORESCOPE WITH 5.5 MM DUAL IMAGER

- High definition
- Innovative Picture-in-Picture allows technician to capture forward and side camera images simultaneously
- Large 5" high-resolution screen
- Capacitive touchscreen interface
- True high definition (1,280 x 720) 5.5 mm dual-view imager for capturing finer details
- Wi-Fi® connectivity provides seamless software updates
- Ready to use out of the box
- Quick USB-C charging for less downtime







#### SOLDERING CLAMP

- Makes soldering wires together easier; holds wires in place and into alignment accurately
- Wire capacity 22-8 gauge



25Q2-SODC1-3 MAGNETIC HOLDER FOR SODC1 SOLDERING CLAMP



#### 25Q2-TPM3M



3 METER METRIC TAPE MEASURE (RED)





#### 25Q2-YA4619

AUTO-DARKENING WELDING HELMET (VALOR)





#### 25Q2-DBTRCSM19

19 PC COBALT STUBBY DRILL BIT SET

Shorter length bits - Even more access in restricted areas!

#### 25Q2-PTHVFLEX

NON-CONDUCTIVE MAGNETIC PICK-UP TOOL







#### 25Q2-JCKWFCBLK

WEIGHTED FENDER COVER (BLACK)

- Extra-large 48 x 26" (1,248 in²) area for superb coverage
- Folds to a compact size for convenient storage



25Q2-MAGMATXL HIGH-POWER MAGNETIC MAT (BLACK)



25Q2-SSX24P132 30PK RATCHET DESIGN T-SHIRTS

**x30** 









Jari Jaakkola snapon.fi 0452639343 jari.jaakkola@snapon.fi

CONTACT YOUR LOCAL SNAP-ON DEALER FOR MORE INFORMATION